

**AMENDMENTS TO THE CLAIMS**

The following listing of claims replaces all prior versions of claims in the application.

1. (Cancelled).

2. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein a monomer for the conductive polymer is at least one selected from the group consisting of thiophene, pyrrole and the derivatives thereof.

3. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the conductive polymer obtained by the oxidation polymerization uses an organic sulfonic acid as a dopant.

4. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the cation of the organic sulfonate is a metal cation other than a transition metal.

5. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the cation of the organic sulfonate ~~comprises~~ has a backbone having at least one selected from the group consisting of five-membered heterocyclic ring, benzene ring, naphthalene ring, tetralin ring and anthracene ring, and at least one selected from the group consisting of NH group and NH<sub>2</sub>.

6. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the anion of the organic sulfonate ~~comprises~~ has a backbone having at least one selected from the group consisting of benzene ring, naphthalene ring, tetralin ring and anthracene ring.

7. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the anion of the organic sulfonate ~~comprises~~ has a backbone having at least one selected from the group consisting of benzene ring, naphthalene ring, tetralin ring and anthracene ring, wherein the backbone is connected to at least one functional group selected from the group consisting of alkyl group having a carbon number of 1 to 12, hydroxyl group, alkoxy carbonyl group having a carbon number of 2 to 10, alkoxy group and aldehyde group having a carbon number of 1 to 10, and at least one sulfonic acid group.

8. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the anion of the organic sulfonate ~~comprises~~ has a backbone having at least one selected from the group consisting of benzene ring, naphthalene ring, tetralin ring and anthracene ring, wherein the backbone is connected to at least one functional group selected from the group consisting of alkyl group having a carbon number of 1 to 12, hydroxyl group, alkoxy carbonyl group having a carbon number of 2 to 10, alkoxy group and aldehyde group having a carbon number of 1 to 10, and at least one sulfonic acid group, wherein protons of the sulfonic acid are partially replaced with fluorine.

9. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the organic sulfonate is a mixture of a first organic sulfonate comprising an anion having a backbone having at least one selected from the group consisting of benzene ring, naphthalene ring, tetralin ring and anthracene ring, and hydroxyl group and at least one sulfonic acid; and a second organic sulfonate comprising an anion having a backbone having at least one selected from the group consisting of benzene ring, naphthalene ring, tetralin ring and anthracene ring, an aldehyde group having a carbon number of 1 to 10, and at least one sulfonic acid group.

10. (Currently amended): A conductive polymer according to claim ~~[[1]]~~ 12, wherein the oxidation polymerization is chemical oxidation polymerization, wherein the conductive polymer obtained by the chemical oxidation polymerization comprises a transition metal salt of the organic sulfonic acid serving as a dopant as well as serving as an oxidant.

11. (Currently amended): A solid electrolytic capacitor, wherein the conductive polymer according to ~~any of claims~~ claim 1 ~~[[to 10]]~~ is used as a solid electrolyte.

12. (New): A conductive polymer, comprising a matrix of the conductive polymer and an organic sulfonate coated on or included in the conductive polymer, wherein the conductive polymer is obtained by oxidation polymerization, wherein the organic sulfonate is formed by an anion of an organic sulfonic acid and a cation other than a transition metal.